

## NEMA Class 1 Wood

Flange (in)	20	24	24	27	30	32	36	40	42	45	
Traverse (in)	12	12	18	18	18	24	24	24	26	28	
Drum (in)	10	10	10	12	12	14	17	17	18	21	
Tare (lb)	22	28	31	38	45	66	68	80	90	106	
Capacity (lb)	550	550	550	550	750	950	1500	1500	1500	1500	
Diameter	Clearance										
0.10	2.00	-	-	-	-	-	-	-	-	-	
0.15	2.00	5443	-	-	-	-	-	-	-	-	
0.20	2.00	3062	5888	8832	-	-	-	-	-	-	
0.25	2.00	1960	3768	5653	7254	-	-	-	-	-	
0.30	2.00	1361	2617	3926	5038	6961	-	-	-	-	
0.35	2.00	1000	1923	2884	3701	5114	7537	9421	-	-	
0.40	2.00	765	1472	2208	2834	3916	5770	7213	9882	-	
0.45	2.00	605	1163	1745	2239	3094	4559	5699	7808	9408	
0.50	2.00	490	942	1413	1814	2506	3693	4616	6325	7621	9086
0.55	2.00	405	779	1168	1499	2071	3052	3815	5227	6298	7509
0.60	2.00	340	654	981	1259	1740	2565	3206	4392	5292	6310
0.65	2.00	290	557	836	1073	1483	2185	2732	3742	4509	5376
0.70	2.00	250	481	721	925	1279	1884	2355	3227	3888	4636
0.75	2.00	218	419	628	806	1114	1641	2052	2811	3387	4038
0.80	2.00	-	368	552	708	979	1443	1803	2471	2977	3549
0.85	2.00	-	326	489	628	867	1278	1597	2189	2637	3144
0.90	2.00	-	291	436	560	773	1140	1425	1952	2352	2804
0.95	2.00	-	261	391	502	694	1023	1279	1752	2111	2517
1.00	2.00	-	236	353	453	627	923	1154	1581	1905	2272
1.05	2.10	-	208	312	401	557	822	1029	1414	1705	2033
1.10	2.20	-	-	277	357	498	734	921	1270	1532	1828
1.15	2.30	-	-	246	319	446	659	827	1145	1382	1650
1.20	2.40	-	-	220	285	402	593	746	1036	1252	1495
1.25	2.50	-	-	-	256	363	536	675	941	1138	1359
1.30	2.60	-	-	-	231	328	485	613	857	1037	1239
1.35	2.70	-	-	-	208	298	441	558	782	948	1133
1.40	2.80	-	-	-	-	271	401	509	716	869	1039
1.45	2.90	-	-	-	-	247	366	465	658	798	955
1.50	3.00	-	-	-	-	226	335	426	605	735	879
1.55	3.10	-	-	-	-	207	307	392	558	678	812

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050

## NEMA Class 1 Wood

Flange (in)	50	54	58	66	66	72	72	78	84	90	96
Traverse (in)	32	32	32	32	36	36	48	48	54	54	54
Drum (in)	24	26	28	36	36	36	36	42	48	48	56
Tare (lb)	143	164	187	285	292	335	397	471	639	704	816
Capacity (lb)	3000	3000	3000	4500	4500	4500	4500	4500	6000	6000	6000
Diameter	Clearance										
0.10	2.00	-	-	-	-	-	-	-	-	-	-
0.15	2.00	-	-	-	-	-	-	-	-	-	-
0.20	2.00	-	-	-	-	-	-	-	-	-	-
0.25	2.00	-	-	-	-	-	-	-	-	-	-
0.30	2.00	-	-	-	-	-	-	-	-	-	-
0.35	2.00	-	-	-	-	-	-	-	-	-	-
0.40	2.00	-	-	-	-	-	-	-	-	-	-
0.45	2.00	-	-	-	-	-	-	-	-	-	-
0.50	2.00	-	-	-	-	-	-	-	-	-	-
0.55	2.00	-	-	-	-	-	-	-	-	-	-
0.60	2.00	8956	-	-	-	-	-	-	-	-	-
0.65	2.00	7631	9038	-	-	-	-	-	-	-	-
0.70	2.00	6580	7793	9109	-	-	-	-	-	-	-
0.75	2.00	5732	6789	7935	9484	-	-	-	-	-	-
0.80	2.00	5038	5967	6974	8335	9377	-	-	-	-	-
0.85	2.00	4462	5285	6178	7383	8306	-	-	-	-	-
0.90	2.00	3980	4714	5511	6586	7409	9677	-	-	-	-
0.95	2.00	3572	4231	4946	5911	6650	8685	-	-	-	-
1.00	2.00	3224	3819	4464	5334	6001	7838	-	-	-	-
1.05	2.10	2890	3426	4008	4792	5390	7052	9402	-	-	-
1.10	2.20	2601	3087	3614	4323	4864	6372	8497	9481	-	-
1.15	2.30	2351	2793	3273	3916	4406	5782	7710	8604	-	-
1.20	2.40	2133	2537	2975	3561	4006	5266	7022	7838	9737	-
1.25	2.50	1942	2311	2713	3249	3655	4813	6417	7165	8902	-
1.30	2.60	1773	2113	2482	2974	3346	4413	5884	6570	8164	-
1.35	2.70	1623	1937	2278	2730	3071	4057	5410	6043	7510	9408
1.40	2.80	1490	1780	2095	2512	2827	3741	4988	5572	6926	8687
1.45	2.90	1372	1640	1933	2318	2608	3458	4610	5151	6404	8042
1.50	3.00	1265	1515	1787	2144	2412	3203	4271	4773	5935	7462
1.55	3.10	1170	1402	1655	1987	2235	2974	3965	4433	5513	6939
											7247

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050

## NEMA Class 1 Wood

Flange (in)	20	24	24	27	30	32	36	40	42	45	
Traverse (in)	12	12	18	18	18	24	24	24	26	28	
Drum (in)	10	10	10	12	12	14	17	17	18	21	
Tare (lb)	22	28	31	38	45	66	68	80	90	106	
Capacity (lb)	550	550	550	550	750	950	1500	1500	1500	1500	
Diameter	Clearance										
1.60	3.20	-	-	-	-	-	282	360	515	627	751
1.65	3.30	-	-	-	-	-	259	332	477	581	695
1.70	3.40	-	-	-	-	-	239	306	442	539	645
1.75	3.50	-	-	-	-	-	220	283	410	500	600
1.80	3.60	-	-	-	-	-	203	262	381	466	559
1.85	3.70	-	-	-	-	-	-	243	355	434	521
1.90	3.80	-	-	-	-	-	-	225	331	405	486
1.95	3.90	-	-	-	-	-	-	209	309	378	454
2.00	4.00	-	-	-	-	-	-	-	289	354	425

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



## NEMA Class 1 Wood

Flange (in)	50	54	58	66	66	72	72	78	84	90	96	
Traverse (in)	32	32	32	32	36	36	48	48	54	54	54	
Drum (in)	24	26	28	36	36	36	36	42	48	48	56	
Tare (lb)	143	164	187	285	292	335	397	471	639	704	816	
Capacity (lb)	3000	3000	3000	4500	4500	4500	4500	4500	6000	6000	6000	
Diameter Clearance												
1.60	3.20	1084	1300	1536	1845	2076	2767	3689	4125	5131	6466	6751
1.65	3.30	1006	1208	1429	1717	1931	2579	3439	3846	4784	6036	6302
1.70	3.40	935	1124	1331	1600	1800	2408	3211	3592	4469	5646	5893
1.75	3.50	870	1048	1242	1494	1680	2253	3004	3360	4182	5289	5520
1.80	3.60	811	978	1161	1397	1571	2110	2814	3149	3919	4963	5179
1.85	3.70	758	915	1087	1308	1471	1980	2640	2955	3679	4665	4866
1.90	3.80	709	857	1018	1226	1380	1860	2480	2777	3458	4390	4579
1.95	3.90	663	803	956	1151	1295	1750	2334	2613	3254	4137	4314
2.00	4.00	622	754	898	1082	1218	1649	2198	2462	3067	3904	4070

Note: Minimum 200 ft  
Maximum 10000 ft



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050