

## NEMA Class 2 Wood

Flange (in)	30	36	36	38	40	42	42	45	48	50	54
Traverse (in)	22	24	22	22	24	26	28	28	28	32	32
Drum (in)	16	17	18	20	17	18	21	21	24	24	26
Tare (lb)	80	81	85	90	94	110	120	125	160	180	235
Capacity (lb)	1000	2500	2500	2500	2500	3000	3000	3500	3500	4800	6500
Diameter	Clearance										
0.10	2.00	-	-	-	-	-	-	-	-	-	-
0.15	2.00	-	-	-	-	-	-	-	-	-	-
0.20	2.00	-	-	-	-	-	-	-	-	-	-
0.25	2.00	9672	-	-	-	-	-	-	-	-	-
0.30	2.00	6717	-	-	-	-	-	-	-	-	-
0.35	2.00	4935	9421	8225	8883	-	-	-	-	-	-
0.40	2.00	3778	7213	6297	6801	9882	-	-	-	-	-
0.45	2.00	2985	5699	4976	5374	7808	9408	9074	-	-	-
0.50	2.00	2418	4616	4030	4353	6325	7621	7350	9086	9966	-
0.55	2.00	1998	3815	3331	3597	5227	6298	6074	7509	8236	-
0.60	2.00	1679	3206	2799	3023	4392	5292	5104	6310	6921	8956
0.65	2.00	1431	2732	2385	2575	3742	4509	4349	5376	5897	7631
0.70	2.00	1234	2355	2056	2221	3227	3888	3750	4636	5084	6580
0.75	2.00	1075	2052	1791	1934	2811	3387	3266	4038	4429	5732
0.80	2.00	945	1803	1574	1700	2471	2977	2871	3549	3893	5038
0.85	2.00	837	1597	1395	1506	2189	2637	2543	3144	3448	4462
0.90	2.00	746	1425	1244	1343	1952	2352	2268	2804	3076	3980
0.95	2.00	670	1279	1116	1206	1752	2111	2036	2517	2761	3572
1.00	2.00	605	1154	1008	1088	1581	1905	1837	2272	2491	3224
1.05	2.10	535	1029	897	969	1414	1705	1641	2033	2231	2890
1.10	2.20	475	921	802	867	1270	1532	1473	1828	2006	2601
1.15	2.30	424	827	720	779	1145	1382	1327	1650	1811	2351
1.20	2.40	379	746	649	702	1036	1252	1199	1495	1641	2133
1.25	2.50	340	675	587	635	941	1138	1088	1359	1492	1942
1.30	2.60	306	613	532	576	857	1037	990	1239	1361	1773
1.35	2.70	276	558	484	523	782	948	903	1133	1245	1623
1.40	2.80	249	509	441	477	716	869	826	1039	1142	1490
1.45	2.90	226	465	403	436	658	798	758	955	1050	1372
1.50	3.00	205	426	368	399	605	735	696	879	967	1265
1.55	3.10	-	392	338	366	558	678	641	812	893	1170

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050

## NEMA Class 2 Wood

Flange (in)	58	60	66	66	66	72	72	78	84	90	96
Traverse (in)	32	28	28	32	36	36	48	48	54	54	54
Drum (in)	28	28	30	36	36	36	36	42	48	48	56
Tare (lb)	265	300	325	375	431	540	565	660	940	990	1150
Capacity (lb)	6500	6500	7000	7000	8000	8000	8000	9000	10000	12000	12000
Diameter	Clearance										
0.10	2.00	-	-	-	-	-	-	-	-	-	-
0.15	2.00	-	-	-	-	-	-	-	-	-	-
0.20	2.00	-	-	-	-	-	-	-	-	-	-
0.25	2.00	-	-	-	-	-	-	-	-	-	-
0.30	2.00	-	-	-	-	-	-	-	-	-	-
0.35	2.00	-	-	-	-	-	-	-	-	-	-
0.40	2.00	-	-	-	-	-	-	-	-	-	-
0.45	2.00	-	-	-	-	-	-	-	-	-	-
0.50	2.00	-	-	-	-	-	-	-	-	-	-
0.55	2.00	-	-	-	-	-	-	-	-	-	-
0.60	2.00	-	-	-	-	-	-	-	-	-	-
0.65	2.00	-	-	-	-	-	-	-	-	-	-
0.70	2.00	9109	8793	-	-	-	-	-	-	-	-
0.75	2.00	7935	7660	9588	9484	-	-	-	-	-	-
0.80	2.00	6974	6732	8427	8335	9377	-	-	-	-	-
0.85	2.00	6178	5964	7465	7383	8306	-	-	-	-	-
0.90	2.00	5511	5319	6658	6586	7409	9677	-	-	-	-
0.95	2.00	4946	4774	5976	5911	6650	8685	-	-	-	-
1.00	2.00	4464	4309	5393	5334	6001	7838	-	-	-	-
1.05	2.10	4008	3871	4851	4792	5390	7052	9402	-	-	-
1.10	2.20	3614	3493	4382	4323	4864	6372	8497	9481	-	-
1.15	2.30	3273	3165	3975	3916	4406	5782	7710	8604	-	-
1.20	2.40	2975	2879	3620	3561	4006	5266	7022	7838	9737	-
1.25	2.50	2713	2627	3307	3249	3655	4813	6417	7165	8902	-
1.30	2.60	2482	2405	3031	2974	3346	4413	5884	6570	8164	-
1.35	2.70	2278	2208	2787	2730	3071	4057	5410	6043	7510	9408
1.40	2.80	2095	2033	2569	2512	2827	3741	4988	5572	6926	8687
1.45	2.90	1933	1876	2373	2318	2608	3458	4610	5151	6404	8042
1.50	3.00	1787	1736	2198	2144	2412	3203	4271	4773	5935	7462
1.55	3.10	1655	1609	2040	1987	2235	2974	3965	4433	5513	6939

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050

## NEMA Class 2 Wood

Flange (in)	30	36	36	38	40	42	42	45	48	50	54	
Traverse (in)	22	24	22	22	24	26	28	28	28	32	32	
Drum (in)	16	17	18	20	17	18	21	21	24	24	26	
Tare (lb)	80	81	85	90	94	110	120	125	160	180	235	
Capacity (lb)	1000	2500	2500	2500	2500	3000	3000	3500	3500	4800	6500	
Diameter	Clearance											
1.60	3.20	-	360	310	337	515	627	591	751	826	1084	1300
1.65	3.30	-	332	286	310	477	581	546	695	766	1006	1208
1.70	3.40	-	306	263	286	442	539	506	645	711	935	1124
1.75	3.50	-	283	243	264	410	500	469	600	661	870	1048
1.80	3.60	-	262	225	244	381	466	435	559	616	811	978
1.85	3.70	-	243	208	226	355	434	405	521	574	758	915
1.90	3.80	-	225	-	209	331	405	377	486	536	709	857
1.95	3.90	-	209	-	-	309	378	351	454	501	663	803
2.00	4.00	-	-	-	-	289	354	327	425	469	622	754

Note: Minimum 200 ft  
Maximum 10000 ft

Continued on next page >>



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050

## NEMA Class 2 Wood

Flange (in)	58	60	66	66	66	72	72	78	84	90	96	
Traverse (in)	32	28	28	32	36	36	48	48	54	54	54	
Drum (in)	28	28	30	36	36	36	36	42	48	48	56	
Tare (lb)	265	300	325	375	431	540	565	660	940	990	1150	
Capacity (lb)	6500	6500	7000	7000	8000	8000	8000	9000	10000	12000	12000	
Diameter	Clearance											
1.60	3.20	1536	1495	1898	1845	2076	2767	3689	4125	5131	6466	6751
1.65	3.30	1429	1391	1769	1717	1931	2579	3439	3846	4784	6036	6302
1.70	3.40	1331	1297	1651	1600	1800	2408	3211	3592	4469	5646	5893
1.75	3.50	1242	1211	1544	1494	1680	2253	3004	3360	4182	5289	5520
1.80	3.60	1161	1133	1446	1397	1571	2110	2814	3149	3919	4963	5179
1.85	3.70	1087	1061	1356	1308	1471	1980	2640	2955	3679	4665	4866
1.90	3.80	1018	995	1274	1226	1380	1860	2480	2777	3458	4390	4579
1.95	3.90	956	935	1198	1151	1295	1750	2334	2613	3254	4137	4314
2.00	4.00	898	879	1128	1082	1218	1649	2198	2462	3067	3904	4070

Note: Minimum 200 ft  
Maximum 10000 ft



[buyawg.com](http://buyawg.com) | [sales@buyawg.com](mailto:sales@buyawg.com) | 800.342.7215 | 945.455.3050